



: 19.09.2016

: 02.05.2015

1

.
. .
. .
. .

: 701 CONCENTRATED WHITE

: 701

.
. .

General Paint Co. SAL
P.O. Box 7623
Beirut
LEBANON
www.generalpaint.biz

.
. .

: Product safety department
: During normal opening times: (961) 9 925990 /1/2

2

.



3 H226



.

3 H336

5 H333

.

.

(GHS).



GHS02 GHS07

.

.

xylene
Solvent naphtha (petroleum), light arom.

.



: 19.09.2016

: 02.05.2015

: 701 CONCENTRATED WHITE

(2)

.

:

.

,

,

.

-

.

-

.

5

.

CO₂,

:

.

,

:

.

,

-

.

.

:

-

.

6

()

.

,

.

:

.

:

.

,

).

13.

.

-

7.

-

8.

-

13.

7

.

:

.

/

.

:

-

.

(

4)

RU



: 19.09.2016

: 02.05.2015

: 701 CONCENTRATED WHITE

(3)

...
: ,
: :
: :
: :
: 3 ()

8 /

; . 7. :

123-86-4 n-butyl acetate

PDK : 200 /m³
: 50 /m³
/

1330-20-7 xylene

PDK : 150 /m³
: 50 /m³
/

108-65-6 2-methoxy-1-methylethyl acetate

PDK : 10 /m³
/

(5)
RU



: 19.09.2016

: 02.05.2015

: 701 CONCENTRATED WHITE



9

.

pH:

120 °C

27 °C



: 19.09.2016

: 02.05.2015

: 701 CONCENTRATED WHITE

(5)

·):	(,	·
·	:			370 °C
·	:			·
·	:			·
·	:			,
·	:			/
·	:			1,2 . %
·	:			7,5 . %
·	20 °C:			10,7
·	20 °C:			1,26 /cm ³
·				·
·				·
·				/
·):	(n-	/	·
·	:			·
·	:			·
·	VOC (EC)	:		45,1 %
·				567,7 /
·	:			55,0 %

10

·

·

· / , :

·

· , - :

·

(7)



: 19.09.2016

: 02.05.2015

: 701 CONCENTRATED WHITE

(6)

11

.

LD/LC50 (/),

1330-20-7 xylene

()	LD50	4300 / (rat)
()	LD50	2000 / (rabbit)

64742-95-6 Solvent naphtha (petroleum), light arom.

()	LD50	>6800 / (rat)
()	LD50	>3400 / (rab)
()	LC50/4	>10,2 / (rat)

12

.

vPvB ()
PBT:
vPvB:

PBT ()

13

.



: 19.09.2016

: 02.05.2015

: 701 CONCENTRATED WHITE

(7)
:
:
:

14

· **UN**
· **ADR, IMDG, IATA** UN1263

· **ADR** 1263
· **IMDG** PAINT
· **IATA** Paint

· **ADR**
· 3

· **IMDG, IATA** III

· :
· :

· **Stowage Category** A

· **MARPOL73/78** (II)
· **IBC Code** ()

· / :

· **IMDG**
· **Limited quantities (LQ)** 5L
· **Excepted quantities (EQ)** Code: E1
Maximum net quantity per inner packaging: 30
Maximum net quantity per outer packaging: 1000

· **UN "Model Regulation":** UN 1263 , 3



: 701 CONCENTRATED WHITE

(8)

15



GHS02 GHS07

(GHS).

xylene
Solvent naphtha (petroleum), light arom.

16

H226
H227
H312
H313
H315



: 19.09.2016

: 02.05.2015

: 701 CONCENTRATED WHITE

H332

H335

H336

(9)

: Product safety department

: Ms. Topaljikian

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

3: Flammable liquids, Hazard Category 3

4: Flammable liquids, Hazard Category 4

4: Acute toxicity, Hazard Category 4

5: Acute toxicity, Hazard Category 5

2: Skin corrosion/irritation, Hazard Category 2

3: Specific target organ toxicity - Single exposure, Hazard Category 3