



: 19.09.2016

: 02.05.2015

1

.
. .
. .
. .

: **710 SHADOW WHITE**

: 710

.
. / :
General Paint Co. SAL
P.O. Box 7623
Beirut
LEBANON
www.generalpaint.biz

. : Product safety department
. : During normal opening times: (961) 9 925990 /1/2

2



3 H226



2 H315

3 H336

5 H333

(GHS).



GHS02 GHS07

.
. xylene
. Solvent naphtha (petroleum), light arom.
. ethylbenzene



: 19.09.2016

: 02.05.2015

: 710 SHADOW WHITE

(1)

/ / / / / /

():

().

/ / / / /

PBT ()

vPvB ()

PBT:

vPvB:

3 /

123-86-4	<i>n</i> -butyl acetate	3, H226; 3, H336	25-50%
1330-20-7	xylene	3, H226; 4, H332; 2, H315 4,	10-25%
108-65-6	2-methoxy-1-methylethyl acetate	3, H226	2,5-10%
64742-95-6	Solvent naphtha (petroleum), light arom.	4, H332; 4, H227; 3, H335; 5, H313	½ 2,5%
100-41-4	ethylbenzene	2, H225; 1, H304; 2, H373; 4, H332	½ 2,5%

16.



: 19.09.2016

: 02.05.2015

: 710 SHADOW WHITE

(4)





: 710 SHADOW WHITE

(5)

9

.
. .
. .
. .
. .

pH:

. . /
. . /
. .

120 °C

27 °C

): (,

370 °C

1,1 . %

7,5 . %

20 °C:

10,7

20 °C:

0,992 /cm³

VOC (EC)

: 70,6 %
700,2 /

(7)



: 19.09.2016

: 02.05.2015

: 710 SHADOW WHITE

: 29,4 %

10

.

11

.

LD/LC50 (/),		
1330-20-7 xylene		
()	LD50	4300 / (rat)
()	LD50	2000 / (rabbit)
64742-95-6 Solvent naphtha (petroleum), light arom.		
()	LD50	>6800 / (rat)
()	LD50	>3400 / (rab)
()	LC50/4	>10,2 / (rat)

.

12

.



: 19.09.2016

: 02.05.2015

: 710 SHADOW WHITE

(8)

·	:	
·	:	
·		
·	EMS:	F-E, S-E
·	Stowage Category	A
·		II
·	MARPOL73/78 ()
·	IBC Code ()
·	/	:
·	ADR	
·		(LQ) 5L
·		(EQ) : E1
·		: 30
·		: 1000
·		3
·		D/E
·	IMDG	
·	Limited quantities (LQ)	5L
·	Excepted quantities (EQ)	Code: E1
		Maximum net quantity per inner packaging: 30
		Maximum net quantity per outer packaging: 1000
·	UN "Model Regulation":	UN 1263 , 3, III

15

(GHS).

10)

RU



: 710 SHADOW WHITE



GHS02 GHS07

*xylene
Solvent naphtha (petroleum), light arom.
ethylbenzene*

16

- H225
- H226
- H227
- H304
- H312
- H313
- H315
- H332
- H335



: 19.09.2016

: 02.05.2015

: 710 SHADOW WHITEH336
H373

(10)

: Product safety department

: Ms. Topaljikian

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

2: Flammable liquids, Hazard Category 2

3: Flammable liquids, Hazard Category 3

4: Flammable liquids, Hazard Category 4

4: Acute toxicity, Hazard Category 4

5: Acute toxicity, Hazard Category 5

2: Skin corrosion/irritation, Hazard Category 2

- 3: Specific target organ toxicity - Single exposure, Hazard Category 3

- 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

1: Aspiration hazard, Hazard Category 1