



: 19.09.2016

: 02.05.2015

1

.
. .
. .
. .

: **718 REDDISH BLUE**

: 718

.
. / :
General Paint Co. SAL
P.O. Box 7623
Beirut
LEBANON
www.generalpaint.biz

: Product safety department
: During normal opening times: (961) 9 925990 /1/2

2



3 H226



2 H315

3 H336

5 H333

(GHS).



GHS02 GHS07

xylene
Solvent naphtha (petroleum), light arom.
ethylbenzene



: 718 REDDISH BLUE

(1)

/ / / / / /

():

()

/ / / / /

PBT ()

vPvB ()

PBT:

vPvB:

3 /

123-86-4	n-butyl acetate	3, H226; 3, H336	50-100%
1330-20-7	xylene	3, H226; 4, H332; 2, H315 4,	10-25%
64742-95-6	Solvent naphtha (petroleum), light arom.	4, H332; 4, H227; 3, H335; 5, H313	2,5-10%
108-65-6	2-methoxy-1-methylethyl acetate	3, H226	2,5-10%
100-41-4	ethylbenzene	2, H225; 1, H304; 2, H373; 4, H332	½ 2,5%
123-42-2	diacetone alcohol, technical	2A, H319; 4, H227	½ 2,5%

3)

RU



: 718 REDDISH BLUE

. : (2)
16.

4

. :
()
. :
. :
. :
. :
-
-

5

. :
CO2,
. :
. :
. :
-
:

6 ()

. :
. :
. :
(, , -
,),
13.
(4)
RU



: 19.09.2016

: 02.05.2015

: 718 REDDISH BLUE

100-41-4 ethylbenzene		(4)
PDK	: 150 /m ³ : 50 /m ³	/
123-42-2 diacetone alcohol, technical		
PDK	: 100 /m ³	/





: 718 REDDISH BLUE



(5)

9

<p>.</p> <p>.</p> <p>.</p> <p>.</p> <p>.</p>	
<p>pH:</p>	
<p>.</p>	<p>/</p>
<p>.</p>	<p>124 °C</p>
<p>.</p>	<p>27 °C</p>
<p>.</p>	<p>) (,</p>
<p>.</p>	<p>315 °C</p>
<p>.</p>	
<p>.</p>	
<p>.</p>	<p>/</p>
<p>.</p>	<p>1,1 . %</p>
<p>.</p>	<p>7,5 . %</p>
<p>.</p>	<p>20 °C: 10,7</p>
<p>.</p>	<p>20 °C: 0,953 /cm³</p>
<p>.</p>	
<p>.</p>	
<p>.</p>	
<p>.</p>	
<p>.</p>	
<p>.</p>	<p>/</p>

(7)



: 19.09.2016

: 02.05.2015

: 718 REDDISH BLUE

		(6)
		(n-	/
):			
:		:	:
:		:	:
VOC (EC)		:	76,1 % 725,3 /
:		:	23,9 %

10			
:			
:			
/ , :			
:			
:			
:			

11			
:			
:			
LD/LC50 (/),			
:			
1330-20-7 xylene			
()	LD50	4300 /	(rat)
()	LD50	2000 /	(rabbit)
64742-95-6 Solvent naphtha (petroleum), light arom.			
()	LD50	>6800 /	(rat)
()	LD50	>3400 /	(rab)
()	LC50/4	>10,2 /	(rat)
:			
:			
:			
:			
:			
(
8)			
RU			



: 19.09.2016

: 02.05.2015

: 718 REDDISH BLUE

· (7)

· :

· ()

· :

12

· :

· -

· :

· -

· :

· -

· :

· 2 (-):

· PBT ()

· vPvB ()

· PBT:

· vPvB:

13

· :

· :

· :

14

· UN	UN1263
· ADR, IMDG, IATA	
· ADR	1263
· IMDG	PAINT



: 19.09.2016

: 02.05.2015

: 718 REDDISH BLUE

(8)

· **IATA** *Paint*

· **ADR, IMDG, IATA**



3
3

· **ADR, IMDG, IATA** *III*

· **EMS:** *F-E,S-E*
· **Stowage Category** *A*

II
MARPOL73/78 ()
IBC Code ()

· **ADR**
· (LQ) 5L : E1
· (EQ) : 30
· : 1000
· 3
· D/E

· **IMDG**
· **Limited quantities (LQ)** 5L
· **Excepted quantities (EQ)** Code: E1
Maximum net quantity per inner packaging: 30
Maximum net quantity per outer packaging: 1000

(10)



: 19.09.2016

: 02.05.2015

: 718 REDDISH BLUE

(9)

UN "Model Regulation": UN 1263 , 3, III

15

(GHS).



GHS02 GHS07

xylene
Solvent naphtha (petroleum), light arom.
ethylbenzene

16

(11)
RU



: 718 REDDISH BLUE

(10)

- H225
- H226
- H227
- H304
- H312
- H313
- H315
- H319
- H332
- H335
- H336
- H373

: Product safety department
: Ms. Topaljkian

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

2: Flammable liquids, Hazard Category 2

3: Flammable liquids, Hazard Category 3

4: Flammable liquids, Hazard Category 4

4: Acute toxicity, Hazard Category 4

5: Acute toxicity, Hazard Category 5

2: Skin corrosion/irritation, Hazard Category 2

2A: Serious eye damage/eye irritation, Hazard Category 2A

- 3: Specific target organ toxicity - Single exposure, Hazard Category 3

- 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

1: Aspiration hazard, Hazard Category 1