



: 19.09.2016

: 02.05.2015

1

: **754 OXIDE TRANSPARENT YELLOW**

: 754

General Paint Co. SAL
P.O. Box 7623
Beirut
LEBANON
www.generalpaint.biz

: Product safety department
: During normal opening times: (961) 9 925990 /1/2

2



3 H226



3 H336

5 H333

(GHS).



GHS02 GHS07

xylene
Solvent naphtha (petroleum), light arom.



: 19.09.2016

: 02.05.2015

: 754 OXIDE TRANSPARENT YELLOW

· : (2)

· : :

· : , ,

· - .

· - .

5

· : CO₂,

· , :

· , -

· : - .

6

· , ()

· : /

· : (, -

· ,) 13.

· - 7. - 8.

· - 13.

7

· : /

· (4)



: 754 OXIDE TRANSPARENT YELLOW

(3)

:

:

:

:

:

:

:

:

:

:3

()

8

;

7.

123-86-4 n-butyl acetate	
PDK	: 200 /m ³ : 50 /m ³
	/
1330-20-7 xylene	
PDK	: 150 /m ³ : 50 /m ³
	/
67-63-0 propan-2-ol	
PDK	: 50 /m ³ : 10 /m ³
	/



: 19.09.2016

: 02.05.2015

: 754 OXIDE TRANSPARENT YELLOW

(6)

11

LD/LC50 (/),			
1330-20-7 xylene			
()	LD50	4300 /	(rat)
()	LD50	2000 /	(rabbit)
64742-95-6 Solvent naphtha (petroleum), light arom.			
()	LD50	>6800 /	(rat)
()	LD50	>3400 /	(rab)
()	LC50/4	>10,2 /	(rat)

12

PBT ()			
vPvB (
PBT:			
vPvB:			



: 19.09.2016

: 02.05.2015

: 754 OXIDE TRANSPARENT YELLOW

(7)


13

.
:
.
:
.
:
.

14

. **UN**
. **ADR, IMDG, IATA** UN1263

.
. **ADR** 1263
. **IMDG** PAINT
. **IATA** Paint

.
. **ADR, IMDG, IATA**

.
3
3

.
. **ADR, IMDG, IATA** III

. :
.

.

. **EMS:** F-E, S-E
. **Stowage Category** A

.
MARPOL73/78 (II)
IBC Code ()
)

(9)



: 19.09.2016

: 02.05.2015

: 754 OXIDE TRANSPARENT YELLOW

(8)

· ADR	
· (LQ)	5L
· (EQ)	: E1
	: 30
	: 1000
·	3
·	D/E
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30
	Maximum net quantity per outer packaging: 1000
· UN "Model Regulation":	
	UN 1263 , 3, III

15



GHS02 GHS07

(GHS).

xylene
Solvent naphtha (petroleum), light arom.



: 754 OXIDE TRANSPARENT YELLOW

/	/	/	/	/	/	/	/	(9)
/	/	/	/	/	/	/	/	.	.
/		()	:					
/		/				/		/	/
/				:					

16 :

- H225
- H226
- H227
- H312
- H313
- H315
- H319
- H332
- H335
- H336

: Product safety department

: Ms. Topaljikian

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 ICAO: International Civil Aviation Organisation
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative

- 2: Flammable liquids, Hazard Category 2
- 3: Flammable liquids, Hazard Category 3
- 4: Flammable liquids, Hazard Category 4
- 4: Acute toxicity, Hazard Category 4
- 5: Acute toxicity, Hazard Category 5
- 2: Skin corrosion/irritation, Hazard Category 2
- 2: Serious eye damage/eye irritation, Hazard Category 2
- 3: Specific target organ toxicity - Single exposure, Hazard Category 3