



: 19.09.2016

: 02.05.2015

1

.
. .
. .
. .

: **759 GRENATE**

: 759

.
. / :
General Paint Co. SAL
P.O. Box 7623
Beirut
LEBANON
www.generalpaint.biz

: Product safety department
: During normal opening times: (961) 9 925990 /1/2

2



3 H226



2 H315

3 H336

5 H333

(GHS).



GHS02 GHS07

xylene
Solvent naphtha (petroleum), light arom.



: 19.09.2016

: 02.05.2015

: 759 GRENATE

(1)

/ / / / / /

():

().

/ / / /

PBT ()

vPvB ()

PBT:

vPvB:

3 /

123-86-4	n-butyl acetate	3, H226; 3, H336	50-100%
1330-20-7	xylene	3, H226; 4, H332; 2, H315	10-25%
64742-95-6	Solvent naphtha (petroleum), light arom.	4, H332; 3, H335; 4, H227; 5, H313	2,5-10%
108-65-6	2-methoxy-1-methylethyl acetate	3, H226	½ 2,5%

16.

4

(3)

RU



: 19.09.2016

: 02.05.2015

: 759 GRENADE

(2)

.

:

()

.

:

,

.

:

.

:

:

:

.

,

,

.

-

.

-

.

5

.

.

CO2,

.

,

.

,

-

.

.

:

-

.

6 ()

.

,

.

:

/

:

.

(, , -

, ,).

13.

.

-

7.

-

8.

-

13.



: 19.09.2016

: 02.05.2015

: 759 GRENATE

(3)

7

· : /

· : -

· : ,

· : :

· : 3 ()

8 /

· ; 7. :

· :

123-86-4 n-butyl acetate	
PDK	: 200 /m ³ : 50 /m ³
/	
1330-20-7 xylene	
PDK	: 150 /m ³ : 50 /m ³
/	
108-65-6 2-methoxy-1-methylethyl acetate	
PDK	: 10 /m ³
/	

· :

· ,

· :

· :

(5)




: 759 GRENADE

(4)



9



pH:

6)

RU



: 19.09.2016

: 02.05.2015

: 759 GRENATE

· vPvB (PBT ())
 · PBT:
 · vPvB:

13

· :
 · :
 · :

14

· UN
 · ADR, IMDG, IATA UN1263

· ADR 1263
 · IMDG PAINT
 · IATA Paint

· ADR, IMDG, IATA



· 3
 · 3

· ADR, IMDG, IATA III

· :
 · :

EMS: F-E,S-E



: 19.09.2016

: 02.05.2015

: 759 GRENATE

(8)

· **Stowage Category**

A

·

II

MARPOL73/78 (

)

IBC Code (

)

·

/

:

· **ADR**

·

(LQ)

5L

·

(EQ)

: E1

: 30

: 1000

·

3

·

D/E

· **IMDG**

· **Limited quantities (LQ)**

5L

· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30

Maximum net quantity per outer packaging: 1000

· **UN "Model Regulation":**

UN 1263

, 3, III

15

·

·

·

(GHS).



GHS02 GHS07

·

·

xylene

Solvent naphtha (petroleum), light arom.

(

10)

RU



: 11/11

1907/2006/EC, 31

: 19.09.2016

: 02.05.2015

: 759 GRENADE

- 4: Acute toxicity, Hazard Category 4
- 5: Acute toxicity, Hazard Category 5
- 2: Skin corrosion/irritation, Hazard Category 2
- 3: Specific target organ toxicity - Single exposure, Hazard Category 3

(10)

RU