



: 19.09.2016

: 02.05.2015

1

**: 762 PEARL LUSTRE WHITE**

: 762

General Paint Co. SAL  
P.O. Box 7623  
Beirut  
LEBANON  
www.generalpaint.biz

: Product safety department  
: During normal opening times: (961) 9 925990 /1/2

2



3 H226



3 H336

5 H333

(GHS).



GHS02 GHS07

xylene  
Solvent naphtha (petroleum), light arom.  
ethylbenzene



: 19.09.2016

: 02.05.2015

: 762 PEARL LUSTRE WHITE

( 1)

vPvB ( )

PBT ( )

vPvB:

PBT:

vPvB:

3 /

123-86-4	n-butyl acetate	3, H226; 3, H336	50-100%
1330-20-7	xylene	3, H226; 4, H332; 2, H315	2,5-10%
64742-95-6	Solvent naphtha (petroleum), light arom.	4, H332; 3, H335; 4, H227; 5, H313	2,5-10%
100-41-4	ethylbenzene	2, H225; 1, H304; 2, H373; 4, H332	½ 2,5%

16.

4

3)

RU





**: 762 PEARL LUSTRE WHITE**

( 3)

**7**

:  
 :  
 /  
 :  
 :  
 ,  
 :  
 :  
 :  
 :  
 :  
 : 3  
 ( )

**8**

; 7.  
 :

<p>123-86-4 <i>n</i>-butyl acetate</p>	
PDK	<p>: 200 /m<sup>3</sup>          : 50 /m<sup>3</sup></p>
<p>1330-20-7 xylene</p>	
PDK	<p>: 150 /m<sup>3</sup>          : 50 /m<sup>3</sup></p>
<p>100-41-4 ethylbenzene</p>	
PDK	<p>: 150 /m<sup>3</sup>          : 50 /m<sup>3</sup></p>

:  
 ,  
 :  
 :

( 5)  
RU

**: 762 PEARL LUSTRE WHITE**

( 4)



**9**



**pH:**

( 6)



: 19.09.2016

: 02.05.2015

**: 762 PEARL LUSTRE WHITE**

		( 5)
.		
/		
:		
/		
		120 °C
		27 °C
): ( ,		
		370 °C
:		
:		
,		
/		
		1,2 . %
		7,5 . %
<b>20 °C:</b>		10,7
<b>20 °C:</b>		0,984 /cm <sup>3</sup>
.		
.		
.		
/		
		(n- /
):		
:		
:		
		72,5 %
<b>VOC (EC)</b>		713,9 /
		27,4 %
-		

10



: 19.09.2016

: 02.05.2015

**: 762 PEARL LUSTRE WHITE**

( 6)

/ , :

,

-

:

**11**

:

:

**LD/LC50 ( / ),**

**1330-20-7 xylene**

( )	LD50	4300 / (rat)
( )	LD50	2000 / (rabbit)

**64742-95-6 Solvent naphtha (petroleum), light arom.**

( )	LD50	>6800 / (rat)
( )	LD50	>3400 / (rab)
( )	LC50/4	>10,2 / (rat)

:

:

:

:

**12**

:

:

:

:

:

:

2 ( - ):

**PBT ( )**

- vPvB ( )
- PBT:
- vPvB:



: 19.09.2016

: 02.05.2015

: 762 PEARL LUSTRE WHITE

( 7)

13

.  
:  
:  
:

14

. **UN**  
. **ADR, IMDG, IATA** UN1263

.  
. **ADR** 1263  
. **IMDG** PAINT  
. **IATA** Paint

.  
. **ADR, IMDG, IATA**



. 3  
. 3

.  
. **ADR, IMDG, IATA** III

. :  
. :

. **EMS:** F-E,S-E

( 9)





: 19.09.2016

: 02.05.2015

**: 762 PEARL LUSTRE WHITE**

( 8)

· **Stowage Category** A

· **MARPOL73/78 ( II )**

· **IBC Code ( )**

· **ADR**

· (LQ) 5L : E1

· (EQ) : 30

· : 1000

· 3

· D/E

· **IMDG**

· **Limited quantities (LQ)** 5L

· **Excepted quantities (EQ)** Code: E1

Maximum net quantity per inner packaging: 30

Maximum net quantity per outer packaging: 1000

· **UN "Model Regulation":** UN 1263 , 3, III

**15**

· ,

· ,

· (GHS).

· ,



GHS02 GHS07

·

· xylene

Solvent naphtha (petroleum), light arom.

ethylbenzene

( 10)



1907/2006/EC, 31

: 19.09.2016

: 02.05.2015

: 762 PEARL LUSTRE WHITE

							(	9)
--	--	--	--	--	--	--	---	----

16

- H225
- H226
- H227
- H304
- H312
- H313
- H315
- H332
- H335
- H336
- H373

: Product safety department  
 : Ms. Topaljikian

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
 ICAO: International Civil Aviation Organisation  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)



: 19.09.2016

: 02.05.2015

**: 762 PEARL LUSTRE WHITE**

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

2: Flammable liquids, Hazard Category 2

3: Flammable liquids, Hazard Category 3

4: Flammable liquids, Hazard Category 4

4: Acute toxicity, Hazard Category 4

5: Acute toxicity, Hazard Category 5

2: Skin corrosion/irritation, Hazard Category 2

- 3: Specific target organ toxicity - Single exposure, Hazard Category 3

- 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

1: Aspiration hazard, Hazard Category 1

( 10)

RU