



: 19.09.2016

: 02.05.2015

1 / /

.  
. : **771 GOLD DOME**  
. : 771  
.

.  
. / :  
General Paint Co. SAL  
P.O. Box 7623  
Beirut  
LEBANON  
www.generalpaint.biz

. : Product safety department  
. : During normal opening times: (961) 9 925990 /1/2

2



3 H226  
1 H260



1 H340  
1 H350



2 H315  
3 H336  
5 H333

(GHS).



: 19.09.2016

: 02.05.2015

: 771 GOLD DOME



xylene  
Naphtha (petroleum), hydrotreated heavy  
Solvent naphtha (petroleum), light arom.  
ethylbenzene

vPvB ( )  
PBT:  
vPvB:

3 /





: 19.09.2016

: 02.05.2015

**: 771 GOLD DOME**

CO2.

( 3)

CO2,

6

( )

13.

7.

8.

13.

7



: 19.09.2016

: 02.05.2015

: 771 GOLD DOME

( 4)  
: 4.3  
( )

8 /

7.

:

**123-86-4 n-butyl acetate**

PDK : 200 /m<sup>3</sup>  
: 50 /m<sup>3</sup>  
/

**1330-20-7 xylene**

PDK : 150 /m<sup>3</sup>  
: 50 /m<sup>3</sup>  
/

**108-65-6 2-methoxy-1-methylethyl acetate**

PDK : 10 /m<sup>3</sup>  
/

**100-41-4 ethylbenzene**

PDK : 150 /m<sup>3</sup>  
: 50 /m<sup>3</sup>  
/

:



: 19.09.2016

: 02.05.2015

: 771 GOLD DOME



9

...

pH:

...

124 °C

27 °C





: 771 GOLD DOME

( 7)

11

·

· :  
· :

· LD/LC50 ( / ),

1330-20-7 xylene

( )	LD50	4300 / (rat)
( )	LD50	2000 / (rabbit)

64742-95-6 Solvent naphtha (petroleum), light arom.

( )	LD50	>6800 / (rat)
( )	LD50	>3400 / (rab)
( )	LC50/4	>10,2 / (rat)

· :  
· :  
· :  
· :

( )

:

· , :  
· ' 1 , 1

12

·

· : -

· - :

· - :

· : 2 ( - ):





: 19.09.2016

: 02.05.2015

**: 771 GOLD DOME**

· **PBT (** ( )<sup>8)</sup>  
· **vPvB (** )  
· **PBT:**  
· **vPvB:**

**13**


· :  
· :  
· :

**14**

· **UN**  
· **ADR, IMDG, IATA** UN1263

· **ADR** 1263  
· **IMDG** PAINT  
· **IATA** Paint

· **ADR, IMDG, IATA**



· 3  
· 3

· **ADR, IMDG, IATA** III

· :  
· :

· **EMS:** F-E,S-E

( )<sup>10)</sup>



: 19.09.2016

: 02.05.2015

: 771 GOLD DOME

( 9)

· **Stowage Category**

A

· **MARPOL73/78 (**

II

**IBC Code (**

)

· **ADR**

(LQ)

5L

(EQ)

: E1

: 30

: 1000

3

D/E

· **IMDG**

· **Limited quantities (LQ)**

5L

· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30

Maximum net quantity per outer packaging: 1000

· **UN "Model Regulation":**

UN 1263

, 3, III

15

(GHS).



GHS02



GHS07



GHS08

xylene

Naphtha (petroleum), hydrotreated heavy

Solvent naphtha (petroleum), light arom.

ethylbenzene

(

11)

RU



**: 771 GOLD DOME**

10)

(GefStoffV),

II:

III ( )

16

- H225
- H226
- H227
- H228
- H261
- H304
- H312
- H313
- H315
- H332
- H335

12)

RU



: 19.09.2016

: 02.05.2015

**: 771 GOLD DOME**

H336  
H340  
H350  
H373

( 11)

: Product safety department

: Ms. Topaljikian

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

2: Flammable liquids, Hazard Category 2

3: Flammable liquids, Hazard Category 3

4: Flammable liquids, Hazard Category 4

1: Flammable solids, Hazard Category 1

1: Substances and Mixtures which, in contact with water, emit flammable gases, Hazard

Category 1

2: Substances and Mixtures which, in contact with water, emit flammable gases, Hazard

Category 2

4: Acute toxicity, Hazard Category 4

5: Acute toxicity, Hazard Category 5

2: Skin corrosion/irritation, Hazard Category 2

1 : Germ cell mutagenicity, Hazard Category 1B

1 : Carcinogenicity, Hazard Category 1B

- 3: Specific target organ toxicity - Single exposure, Hazard Category 3

- 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

1: Aspiration hazard, Hazard Category 1