



: 19.09.2016

: 02.05.2015

1

.
. .
. .
. .

: **772 PEARL WHITE**

: 772

.
. / :
General Paint Co. SAL
P.O. Box 7623
Beirut
LEBANON
www.generalpaint.biz

: Product safety department
: During normal opening times: (961) 9 925990 /1/2

2

.



3 H226



.

3 H336

5 H333

(GHS).



GHS02 GHS07

.

.

xylene
Solvent naphtha (petroleum), light arom.
ethylbenzene

(



: 19.09.2016

: 02.05.2015

: 772 PEARL WHITE

(3)

7

· : /

· : -

· : ,

· : :

· : 3 ()

8 /

· ; . 7. :

123-86-4 n-butyl acetate	
PDK	: 200 /m ³ : 50 /m ³
1330-20-7 xylene	
PDK	: 150 /m ³ : 50 /m ³
100-41-4 ethylbenzene	
PDK	: 150 /m ³ : 50 /m ³

· :

· ,

· :

· :

(5)



: 772 PEARL WHITE

		(5)
	/		
:			
:		124 °C	
:		27 °C	
):	(
:		370 °C	
:	:		
:	:		
:			
:	:	1,2 . %	
:	:	7,5 . %	
:	20 °C:	10,7	
:	20 °C:	0,965 /cm ³	
:			
:			
:	/		
:			
):	(n-	/	
:	:		
:	:		
:	:	72,0 %	
VOC (EC)	:	694,7 /	
:	:	28,0 %	
<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;">10</div>			
		(7)



: 19.09.2016

: 02.05.2015

: 772 PEARL WHITE

. (6)
 . / , :
 . , - .
 . : - .
 . :

11

. :
 . LD/LC50 (/),
 . :

64742-95-6 Solvent naphtha (petroleum), light arom.		
()	LD50	>6800 / (rat)
()	LD50	>3400 / (rab)
()	LC50/4	>10,2 / (rat)

. :
 . :
 . :

12

. :
 . - .
 . :
 . - .
 . :
 . :

. 1 (-):
 . , .
 . PBT ()
 . vPvB ()
 . PBT:
 . vPvB:



: 19.09.2016

: 02.05.2015

: 772 PEARL WHITE

(7)

13

· :
· :
· :
· :

14

· **UN**
· **ADR, IMDG, IATA** UN1263

· **ADR** 1263
· **IMDG** PAINT
· **IATA** Paint

· **ADR, IMDG, IATA**



· 3
· 3

· **ADR, IMDG, IATA** III

· :
· :

· **EMS:** F-E,S-E
· **Stowage Category** A

· **MARPOL73/78** (II)
· **IBC Code** ()
·)



: 19.09.2016

: 02.05.2015

: 772 PEARL WHITE

(8)

· ADR			
·	(LQ)	5L	
·	(EQ)	: E1	
		: 30	
		: 1000	
·		3	
·		D/E	
· IMDG			
· Limited quantities (LQ)		5L	
· Excepted quantities (EQ)		Code: E1	
		Maximum net quantity per inner packaging: 30	
		Maximum net quantity per outer packaging: 1000	
· UN "Model Regulation":		UN 1263 , 3, III	

15



(GHS).

xylene
 Solvent naphtha (petroleum), light arom.
 ethylbenzene



: 11/11

1907/2006/EC, 31

: 19.09.2016

: 02.05.2015

: 772 PEARL WHITE

- 3: Specific target organ toxicity - Single exposure, Hazard Category 3 (10)
- 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2
- 1: Aspiration hazard, Hazard Category 1

RU