



: 19.09.2016

: 02.05.2015

1 / /

.  
.  
: **775 FINE RUSSET**

: 775

.  
.  
General Paint Co. SAL  
P.O. Box 7623  
Beirut  
LEBANON  
www.generalpaint.biz

.  
: Product safety department  
: During normal opening times: (961) 9 925990 /1/2

2



3 H226



3 H336

5 H333

(GHS).



GHS02 GHS07

.  
.  
xylene  
Solvent naphtha (petroleum), light arom.  
ethylbenzene



: 775 FINE RUSSET

( 1)

vPvB ( PBT ( ) )

PBT:

vPvB:

3 /

123-86-4	n-butyl acetate	3, H226; 3, H336	50-100%
1330-20-7	xylene	3, H226; 4, H332; 2, H315	2,5-10%
64742-95-6	Solvent naphtha (petroleum), light arom.	4, H332; 3, H335; 4, H227; 5, H313	2,5-10%
100-41-4	ethylbenzene	2, H225; 1, H304; 2, H373; 4, H332	½ 2,5%

16.

4

3)

RU













: 19.09.2016

: 02.05.2015

: 775 FINE RUSSET

( 7)

13

.  
:  
.  
:  
.  
:  
.

14

. UN  
. ADR, IMDG, IATA UN1263

.  
. ADR 1263  
. IMDG PAINT  
. IATA Paint

. ADR, IMDG, IATA



. 3  
. 3

. ADR, IMDG, IATA III

. :  
. :

. EMS: F-E,S-E  
. Stowage Category A

. MARPOL73/78 ( II )  
. IBC Code ( )  
. )

( 9)  
RU





: 19.09.2016

: 02.05.2015

: 775 FINE RUSSET

( 8)

· ADR		5L	
· (LQ)	(EQ)	: E1	
		: 30	
		: 1000	
·		3	
·		D/E	
· IMDG		5L	
· Limited quantities (LQ)		Code: E1	
· Excepted quantities (EQ)		Maximum net quantity per inner packaging: 30	
		Maximum net quantity per outer packaging: 1000	
· UN "Model Regulation":		UN 1263 , 3, III	

15



(GHS).

xylene  
 Solvent naphtha (petroleum), light arom.  
 ethylbenzene





: 11/11

1907/2006/EC, 31

: 19.09.2016

: 02.05.2015

**: 775 FINE RUSSET**

- 3: Specific target organ toxicity - Single exposure, Hazard Category 3 ( 10)
- 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2
- 1: Aspiration hazard, Hazard Category 1

RU