



: 19.09.2016

: 02.05.2015

1

.
. .
. .
. .

: 781 CARBON BLACK

: 781

.
. / :
General Paint Co. SAL
P.O. Box 7623
Beirut
LEBANON
www.generalpaint.biz

: Product safety department
: During normal opening times: (961) 9 925990 /1/2

2

.



3 H226



2 H315

3 H336

5 H333

.
. .

(GHS).



GHS02 GHS07

.

.
. xylene
Solvent naphtha (petroleum), light arom.
ethylbenzene

(



: 781 CARBON BLACK

(1)

PBT ()

- vPvB ()
- PBT:
- vPvB:

3 /

123-86-4	<i>n</i> -butyl acetate 	3, H226; - 3, H336	25-50%
1330-20-7	xylene 	3, H226; 4, H312; 4, H332; 2, H315 4,	10-25%
64742-95-6	Solvent naphtha (petroleum), light arom. 	4, H332; 4, H227; - 3, H335; 5, H313	2,5-10%
108-65-6	2-methoxy-1-methylethyl acetate 	3, H226	½ 2,5%
100-41-4	ethylbenzene 	2, H225; 1, H304; - 2, H373; 4, H332	½ 2,5%

16.



: 781 CARBON BLACK

(2)

4

·

·

· : ,

· :)

· : .

· : ,

· : .

· : ,

· - .

· -

5

·

· : .

CO₂,

· ,

· ,

· -

· :

6

· ()

· ,

· : / .

· : ,

· ,).

· 13.

· -

· 7.

· - 8.

· (



: 19.09.2016

: 02.05.2015

: 781 CARBON BLACK

(4)





1907/2006/EC,

31

: 19.09.2016

: 02.05.2015

: 781 CARBON BLACK

(6)
 : 23,4 %

10

.

.

.

.

.

.

.

11

.

.

.

LD/LC50 (/),		
1330-20-7 xylene		
()	LD50	4300 / (rat)
()	LD50	2000 / (rabbit)
64742-95-6 Solvent naphtha (petroleum), light arom.		
()	LD50	>6800 / (rat)
()	LD50	>3400 / (rab)
()	LC50/4	>10,2 / (rat)

.

.

.

.

.

.

.

.

12

.

.

.

.

.

.

.



: 19.09.2016

: 02.05.2015

: 781 CARBON BLACK

<ul style="list-style-type: none"> · PBT () · vPvB () · PBT: · vPvB: 	<ul style="list-style-type: none"> · 2 (-): · PBT () 	<ul style="list-style-type: none"> · (7)
--	---	--

13

<ul style="list-style-type: none"> · · · 	<ul style="list-style-type: none"> · ·
---	--

14

<ul style="list-style-type: none"> · UN · ADR, IMDG, IATA 	<ul style="list-style-type: none"> · UN1263
<ul style="list-style-type: none"> · ADR · IMDG · IATA 	<ul style="list-style-type: none"> · 1263 · PAINT · Paint
<ul style="list-style-type: none"> · ADR 	<ul style="list-style-type: none"> · 3





: 781 CARBON BLACK

(8)

· 3

· **IMDG**



· **Label** 3

· **IATA**



· **Class** 6.1
· **Label** 3

· **ADR, IMDG, IATA** III

· **EMS:** F-E, S-E
· **Stowage Category** A

· **MARPOL73/78** (II)
· **IBC Code** ()

· **ADR** / :
· (LQ) 5L : E1
· (EQ) : 30
· : 1000
· 3
· D/E

· **IMDG**
· **Limited quantities (LQ)** 5L
· **Excepted quantities (EQ)** Code: E1
Maximum net quantity per inner packaging: 30
Maximum net quantity per outer packaging: 1000

(10)



: 19.09.2016

: 02.05.2015

: 781 CARBON BLACK

(9)

UN "Model Regulation": UN 1263 , 3, III

15

(GHS).



GHS02 GHS07

xylene
Solvent naphtha (petroleum), light arom.
ethylbenzene



: 19.09.2016

: 02.05.2015

: 781 CARBON BLACK

(10)

16

- H225
- H226
- H227
- H304
- H312
- H313
- H315
- H332
- H335
- H336
- H373

: Product safety department

: Ms. Topaljikian

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

2: Flammable liquids, Hazard Category 2

3: Flammable liquids, Hazard Category 3

4: Flammable liquids, Hazard Category 4

4: Acute toxicity, Hazard Category 4

5: Acute toxicity, Hazard Category 5

2: Skin corrosion/irritation, Hazard Category 2

- 3: Specific target organ toxicity - Single exposure, Hazard Category 3

- 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

1: Aspiration hazard, Hazard Category 1