



: 19.09.2016

: 02.05.2015

1

.  
.  
: **787 DEEP BLACK**

: 787

.  
.  
General Paint Co. SAL  
P.O. Box 7623  
Beirut  
LEBANON  
www.generalpaint.biz

.  
: Product safety department  
: During normal opening times: (961) 9 925990 /1/2

2



3 H226



3 H336

5 H333

(GHS).



GHS02 GHS07

.  
.  
Solvent naphtha (petroleum), light arom.  
xylene  
ethylbenzene













: 19.09.2016

: 02.05.2015

**: 787 DEEP BLACK**

( 6)

**10**

·

·

· / , :

· , -

· :

·

**11**

·

· :

· **LD/LC50** ( / ),

·

**64742-95-6 Solvent naphtha (petroleum), light arom.**

( )	LD50	>6800 / (rat)
( )	LD50	>3400 / (rab)
( )	LC50/4	>10,2 / (rat)

·

· :

·

·

**12**

·

· :

· -

· :

· -

· :

·

· **PBT** ( )

· **vPvB** ( )

· **PBT:**

· **vPvB:**

·







: 19.09.2016

: 02.05.2015

: 787 DEEP BLACK

( 8)

· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30

Maximum net quantity per outer packaging: 1000

· **UN "Model Regulation":**

UN 1263

, 3

15



GHS02 GHS07

(GHS).

Solvent naphtha (petroleum), light arom.  
xylene  
ethylbenzene



: 19.09.2016

: 02.05.2015

: 787 DEEP BLACK

( 9)

16

- H225
- H226
- H227
- H304
- H312
- H313
- H315
- H332
- H335
- H336
- H373

: Product safety department

: Ms. Topaljikian

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

2: Flammable liquids, Hazard Category 2

3: Flammable liquids, Hazard Category 3

4: Flammable liquids, Hazard Category 4

5: Acute toxicity, Hazard Category 5

4: Acute toxicity, Hazard Category 4

2: Skin corrosion/irritation, Hazard Category 2

- 3: Specific target organ toxicity - Single exposure, Hazard Category 3

- 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

1: Aspiration hazard, Hazard Category 1