



: 19.09.2016

: 02.05.2015

1

.
. .
. .

: 870 XIRALLIC COPPER

: 870

.
. / :

General Paint Co. SAL
P.O. Box 7623
Beirut
LEBANON
www.generalpaint.biz

. , : Product safety department
. : During normal opening times: (961) 9 925990 /1/2

2

.



3 H226



. - 3 H336
5 H333

(GHS).



GHS02 GHS07

.
. :

xylene
Solvent naphtha (petroleum), light arom.
ethylbenzene



: 870 XIRALLIC COPPER

(1)

/ / / / / /

():

/ / / / /

PBT ()

vPvB ()

PBT:

vPvB:

3 /

123-86-4	<i>n</i> -butyl acetate	3, H226; 3, H336	50-100%
1330-20-7	xylene	3, H226; 4, H332; 2, H315	2,5-10%
64742-95-6	Solvent naphtha (petroleum), light arom.	4, H332; 3, H335; 4, H227; 5, H313	2,5-10%
108-65-6	2-methoxy-1-methylethyl acetate	3, H226	2,5-10%
100-41-4	ethylbenzene	2, H225; 1, H304; 2, H373; 4, H332	½ 2,5%

16.



: 19.09.2016

: 02.05.2015

: 870 XIRALLIC COPPER

- 13.

(3)

7

:
 :
 /
 :
 -
 :
 ,
 :
 :
 :
 :
 :
 : 3
 ()
 -

8

; 7.
 :

123-86-4 n-butyl acetate

PDK	: 200 /m ³
	: 50 /m ³
/	

1330-20-7 xylene

PDK	: 150 /m ³
	: 50 /m ³
/	

108-65-6 2-methoxy-1-methylethyl acetate

PDK	: 10 /m ³
/	

100-41-4 ethylbenzene

PDK	: 150 /m ³
	: 50 /m ³
/	

(5)



: 19.09.2016

: 02.05.2015

: 870 XIRALLIC COPPER

(5)

pH:		
		124 °C
		27 °C
		370 °C
		1,2 . %
		7,5 . %
	20 °C:	10,7
	20 °C:	0,958 /cm ³
VOC (EC)		74,3 %
		711,5 /
		25,7 %



: 19.09.2016

: 02.05.2015

: 870 XIRALLIC COPPER

(6)

10

.
 .
 . / , :
 . , -
 . :
 . :

11

.
 . :

. LD/LC50 (/),
 . :

1330-20-7 xylene		
()	LD50	4300 / (rat)
()	LD50	2000 / (rabbit)
64742-95-6 Solvent naphtha (petroleum), light arom.		
()	LD50	>6800 / (rat)
()	LD50	>3400 / (rab)
()	LC50/4	>10,2 / (rat)

. :
 . :
 . :

12

. :
 . -
 . :
 . -
 . :

2 (-):

(8)



: 19.09.2016

: 02.05.2015

: 870 XIRALLIC COPPER

· **PBT (** ()⁷⁾
 · **vPvB (**)
 · **PBT:**
 · **vPvB:**

13


· :
 · :
 · :

14

· **UN**
 · **ADR, IMDG, IATA** UN1263

· **ADR** 1263
 · **IMDG** PAINT
 · **IATA** Paint

· **ADR, IMDG, IATA**



· 3
 · 3

· **ADR, IMDG, IATA** III

· :
 · :
 · :

· **EMS:** F-E,S-E

(9)



: 19.09.2016

: 02.05.2015

: 870 XIRALLIC COPPER

(8)

· **Stowage Category**

A

II

· **MARPOL73/78 (**

· **IBC Code (**

· **ADR**

(LQ)

5L

(EQ)

: E1

: 30

: 1000

3

D/E

· **IMDG**

· **Limited quantities (LQ)**

5L

· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30

Maximum net quantity per outer packaging: 1000

· **UN "Model Regulation":**

UN 1263

, 3, III

15

(GHS).



GHS02 GHS07

xylene

Solvent naphtha (petroleum), light arom.

ethylbenzene

(10)



: 19.09.2016

: 02.05.2015

: 870 XIRALLIC COPPER

(9)

16

- H225
- H226
- H227
- H304
- H312
- H313
- H315
- H332
- H335
- H336
- H373

: Product safety department

: Ms. Topaljikian

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(11)



: 19.09.2016

: 02.05.2015

: 870 XIRALLIC COPPER

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

2: Flammable liquids, Hazard Category 2

3: Flammable liquids, Hazard Category 3

4: Flammable liquids, Hazard Category 4

4: Acute toxicity, Hazard Category 4

5: Acute toxicity, Hazard Category 5

2: Skin corrosion/irritation, Hazard Category 2

- 3: Specific target organ toxicity - Single exposure, Hazard Category 3

- 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

1: Aspiration hazard, Hazard Category 1

(10)

RU