



: 19.09.2016

: 02.05.2015

1

.
. .
. .
. .

: **878 XIRALLIC BLUE**

: 878

.
. / :
General Paint Co. SAL
P.O. Box 7623
Beirut
LEBANON
www.generalpaint.biz

: Product safety department
: During normal opening times: (961) 9 925990 /1/2

2

.



3 H226



.
- 3 H336
5 H333

(GHS).



GHS02 GHS07

.
. .

xylene
Solvent naphtha (petroleum), light arom.
ethylbenzene

(



: 19.09.2016

: 02.05.2015

: 878 XIRALLIC BLUE

(6)

10

.
. -
. / , :
. , -
. :
. :

11

.
:

LD/LC50 (/),

1330-20-7 xylene

()	LD50	4300 / (rat)
()	LD50	2000 / (rabbit)

64742-95-6 Solvent naphtha (petroleum), light arom.

()	LD50	>6800 / (rat)
()	LD50	>3400 / (rab)
()	LC50/4	>10,2 / (rat)

.
:
:
:

12

.
:
-
:
-
:
:
:

2 (-):

(8)



: 19.09.2016

: 02.05.2015

: 878 XIRALLIC BLUE

· PBT ()⁷⁾
· vPvB ()
· PBT:
· vPvB:

13

· :
· :
· :

14

· UN
· ADR, IMDG, IATA UN1263

· ADR 1263
· IMDG PAINT
· IATA Paint

· ADR



3
3

· IMDG, IATA



· Label 3

· ADR, IMDG, IATA III



: 19.09.2016

: 02.05.2015

: 878 XIRALLIC BLUE

(8)

·	:	
·	:	
·		
·	EMS:	F-E, S-E
·	Stowage Category	A
·	MARPOL73/78 (II
·	IBC Code ()
·	ADR	
·	(LQ)	5L
·	(EQ)	: E1
·		: 30
·		: 1000
·		3
·		D/E
·	IMDG	
·	Limited quantities (LQ)	5L
·	Excepted quantities (EQ)	Code: E1
		Maximum net quantity per inner packaging: 30
		Maximum net quantity per outer packaging: 1000
·	UN "Model Regulation":	UN 1263 , 3, III

15

(GHS).

10)

RU



: 878 XIRALLIC BLUE



xylene
Solvent naphtha (petroleum), light arom.
ethylbenzene

16

- H225
- H226
- H227
- H304
- H312
- H313
- H315
- H332
- H335
- H336



: 19.09.2016

: 02.05.2015

: 878 XIRALLIC BLUE

H373

(10)

: Product safety department

: Ms. Topaljikian

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

2: Flammable liquids, Hazard Category 2

3: Flammable liquids, Hazard Category 3

4: Flammable liquids, Hazard Category 4

4: Acute toxicity, Hazard Category 4

5: Acute toxicity, Hazard Category 5

2: Skin corrosion/irritation, Hazard Category 2

- 3: Specific target organ toxicity - Single exposure, Hazard Category 3

- 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

1: Aspiration hazard, Hazard Category 1