



: 19.09.2016

: 02.05.2015

1

.
. .
. .
. .

: 894 SILVER DOLLAR COARSE

: 894

.
. .

General Paint Co. SAL
P.O. Box 7623
Beirut
LEBANON
www.generalpaint.biz

.
. .

: Product safety department
: During normal opening times: (961) 9 925990 /1/2

2

.



3 H226



- 2 H373



- 2 H315

3 H336

5 H333

.
. .

(GHS).

(

2)

RU



: 894 SILVER DOLLAR COARSE

		(2)
123-86-4	<i>n</i> -butyl acetate	3, H226; ⚠	3, H336
1330-20-7	xylene	3, H226; ⚠ H312; 4, H332;	4, 2, H315
64742-95-6	Solvent naphtha (petroleum), light arom.	4, H332; 4, H227;	3, H335; 5, H313
7429-90-5	aluminium powder (stabilised)	1, H228;	2, H261
100-41-4	ethylbenzene	2, H225; ⚠ 1, H304; ⚠	2, H373; 4, H332
64742-82-1	Naphtha (petroleum), hydrodesulfurized heavy	3, H226; ⚠ 1, H304	1, H372;
			16.

4

48



: 19.09.2016

: 02.05.2015

: 894 SILVER DOLLAR COARSE

(7)

11

LD/LC50 (/),

1330-20-7 xylene

()	LD50	4300 / (rat)
()	LD50	2000 / (rabbit)

64742-95-6 Solvent naphtha (petroleum), light arom.

()	LD50	>6800 / (rat)
()	LD50	>3400 / (rab)
()	LC50/4	>10,2 / (rat)

()

12

2 (-):

PBT ()
vPvB ()
PBT:
vPvB:



: 19.09.2016

: 02.05.2015

: 894 SILVER DOLLAR COARSE

(8)

13

.
:
.
:
.
:
.

14

. **UN**
. **ADR, IMDG, IATA** UN1263

.
. **ADR** 1263
. **IMDG** PAINT
. **IATA** Paint

. **ADR, IMDG, IATA**



. 3
. 3

. **ADR, IMDG, IATA** III

. :
. :

. **EMS:** F-E, S-E
. **Stowage Category** A

.
MARPOL73/78 (II)
IBC Code ()
)

(10)



: 19.09.2016

: 02.05.2015

: 894 SILVER DOLLAR COARSE

(9)

· ADR			
·	(LQ)	5L	
·	(EQ)		: E1
			: 30
			: 1000
·		3	
·		D/E	
· IMDG			
· Limited quantities (LQ)		5L	
· Excepted quantities (EQ)		Code: E1	
		Maximum net quantity per inner packaging: 30	
		Maximum net quantity per outer packaging: 1000	
· UN "Model Regulation":		UN 1263 , 3, III	

15



GHS02 GHS07 GHS08

(GHS).

xylene
Naphtha (petroleum), hydrodesulfurized heavy
Solvent naphtha (petroleum), light arom.
ethylbenzene

(11)



: 19.09.2016

: 02.05.2015

: 894 SILVER DOLLAR COARSE

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

2: Flammable liquids, Hazard Category 2

3: Flammable liquids, Hazard Category 3

4: Flammable liquids, Hazard Category 4

1: Flammable solids, Hazard Category 1

2: Substances and Mixtures which, in contact with water, emit flammable gases, Hazard

Category 2

4: Acute toxicity, Hazard Category 4

5: Acute toxicity, Hazard Category 5

2: Skin corrosion/irritation, Hazard Category 2

3: Specific target organ toxicity - Single exposure, Hazard Category 3

- 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1

- 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

1: Aspiration hazard, Hazard Category 1

(11)

RU