



: 19.09.2016

: 02.05.2015

1 / /

: **599 METALLITE ALUMINUM**

: 599

General Paint Co. SAL
P.O. Box 7623
Beirut
LEBANON
www.generalpaint.biz

: Product safety department
: During normal opening times: (961) 9 925990 /1/2

2



3 H226
1 H260



2 H315
3 H336
5 H333

(GHS).



GHS02 GHS07



: 19.09.2016

: 02.05.2015

: 599 METALLITE ALUMINUM

xylene
Solvent naphtha (petroleum), light arom.
ethylbenzene

vPvB ()
PBT:
vPvB: PBT ()

3 /

123-86-4	n-butyl acetate	3, H226; !	3, H336	50-100%
1330-20-7	xylene	3, H226; ! H312; 4, H332;	2, H315 4,	10-25%
64742-95-6	Solvent naphtha (petroleum), light arom.	4, H332; 4, H227; !	3, H335; 5, H313	2,5-10%
7429-90-5	aluminium powder (pyrophoric)	1, H250; 2, H261		2,5-10%



: 19.09.2016

: 02.05.2015

: 599 METALLITE ALUMINUM

(4)

123-86-4 n-butyl acetate	
PDK	: 200 /m ³ : 50 /m ³
1330-20-7 xylene	
PDK	: 150 /m ³ : 50 /m ³
108-65-6 2-methoxy-1-methylethyl acetate	
PDK	: 10 /m ³
100-41-4 ethylbenzene	
PDK	: 150 /m ³ : 50 /m ³





: 599 METALLITE ALUMINUM

(8)

· **IMDG** PAINT
· **IATA** Paint

· **ADR, IMDG, IATA**



· 3
· 3

· **ADR, IMDG, IATA** III

· **EMS:** F-E,S-E
· **Stowage Category** A

· **MARPOL73/78** (II)
· **IBC Code** ()

· **ADR** / :
· (LQ) 5L : E1
· (EQ) : 30
· : 1000
· 3
· D/E

· **IMDG**
· **Limited quantities (LQ)** 5L
· **Excepted quantities (EQ)** Code: E1
Maximum net quantity per inner packaging: 30
Maximum net quantity per outer packaging: 1000

(10)



: 19.09.2016

: 02.05.2015

: 599 METALLITE ALUMINUM

(9)

UN "Model Regulation": UN 1263 , 3, III

15

(GHS).



GHS02 GHS07

xylene
Solvent naphtha (petroleum), light arom.
ethylbenzene



: 599 METALLITE ALUMINUM

(10)

16

- H225
- H226
- H227
- H250
- H261
- H304
- H312
- H313
- H315
- H332
- H335
- H336
- H373

: Product safety department

: Ms. Topaljikian

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

2: Flammable liquids, Hazard Category 2

3: Flammable liquids, Hazard Category 3

4: Flammable liquids, Hazard Category 4

1: Pyrophoric Solids, Hazard Category 1

1: Substances and Mixtures which, in contact with water, emit flammable gases, Hazard

Category 1

2: Substances and Mixtures which, in contact with water, emit flammable gases, Hazard

Category 2

4: Acute toxicity, Hazard Category 4

5: Acute toxicity, Hazard Category 5

2: Skin corrosion/irritation, Hazard Category 2

3: Specific target organ toxicity - Single exposure, Hazard Category 3

2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

1: Aspiration hazard, Hazard Category 1