



: 19.09.2016

: 02.05.2015

1

.
. .
. .
. .

: 634 TRANSPARENT YELLOW

: 634

.
. / :
General Paint Co. SAL
P.O. Box 7623
Beirut
LEBANON
www.generalpaint.biz

. : Product safety department
. : During normal opening times: (961) 9 925990 /1/2

2



3 H226



2 H315
3 H336
5 H333

(GHS).



GHS02 GHS07

.
. xylene
. .



: 19.09.2016

: 02.05.2015

: 634 TRANSPARENT YELLOW

(1)

/ / / / / /

():

()

/ / / /

PBT ()

vPvB ()

PBT:

vPvB:

3 /

123-86-4	n-butyl acetate	3, H226;	3, H336	25-50%
1330-20-7	xylene	4, H332; 3, H226;	2, H315; 4, H312;	10-25%

16.

4

()

:

:

:

:

:

(3)



: 19.09.2016

: 02.05.2015

: 634 TRANSPARENT YELLOW

· : (2)

· , ,

· - .

· - .

5

· :

· CO2, .

· , :

· , - .

· : - .

6

()

· ,

· : / .

· : (, , -

· ,) . 13.

· - 7. - 8.

· - 13.

7

· :

· / .

· : - .

· (4)



: 19.09.2016

: 02.05.2015

: 634 TRANSPARENT YELLOW

(3)
 .
 . : ,
 . , :
 . :
 . :
 . : 3
 . ()

8

; . 7.
 .

:	
123-86-4 n-butyl acetate	
PDK	: 200 /m ³ : 50 /m ³
/	
1330-20-7 xylene	
PDK	: 150 /m ³ : 50 /m ³
/	

:
 ,
 .
 . :
 . :
 . :
 . :
 . :
 . :



: 19.09.2016

: 02.05.2015

: 634 TRANSPARENT YELLOW



9

...

pH:

124 °C

25 °C



: 19.09.2016

: 02.05.2015

: 634 TRANSPARENT YELLOW

(5)

.):	(,	.
.	:	370 °C	.
.	:	.	.
.	:	.	.
.	:	.	.
.	:	1,1 . %	.
.	:	7,5 . %	.
.	20 °C:	10,7	.
.	20 °C:	1,007 /cm ³	.
.	.	.	.
.	.	.	.
.	.	.	.
.)/	.	.
.):	(n- /	.
.	.	.	.
.	.	.	.
.	VOC (EC)	48,5 %	.
.	.	488,4 /	.
.	.	51,2 %	.

10

.	.	.	.
.	.	.	.
.	.	.	.
.	.	.	.
.	.	.	.
.	.	.	.
.	.	.	.
.	.	.	.
.	.	.	.
.	.	.	.
.	.	.	.

7)

RU



: 19.09.2016

: 02.05.2015

: 634 TRANSPARENT YELLOW

(6)

11

.

LD/LC50 (/),

1330-20-7 xylene

()	LD50	4300	/	(rat)
()	LD50	2000	/	(rabbit)

.

12

.

2 (-):

PBT ()

vPvB ()
PBT:
vPvB:



: 19.09.2016

: 02.05.2015

: 634 TRANSPARENT YELLOW

(7)

13

.
.
:
.
:
:
.

14

. **UN**
. **ADR, IMDG, IATA** UN1263

.
. **ADR** 1263
. **IMDG** PAINT
. **IATA** Paint

.
. **ADR, IMDG, IATA**



. 3
. 3

.
. **ADR, IMDG, IATA** III

. :
. :

.
. **EMS:** F-E, S-E
. **Stowage Category** A

.
MARPOL73/78 (II)
IBC Code ()
)

(9)
RU



: 19.09.2016

: 02.05.2015

: 634 TRANSPARENT YELLOW

(8)

· ADR	
· (LQ)	5L
· (EQ)	: E1
	: 30
	: 1000
·	3
·	D/E
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30
	Maximum net quantity per outer packaging: 1000
· UN "Model Regulation":	UN 1263 , 3, III

15



xylene

(GHS).

