



: 19.09.2016

: 02.05.2015

1

.
. .
. .
. .

: 721 LUMINOUS GREEN

: 721

.
. / :
General Paint Co. SAL
P.O. Box 7623
Beirut
LEBANON
www.generalpaint.biz

: Product safety department
: During normal opening times: (961) 9 925990 /1/2

2



3 H226



2 H315
3 H336
5 H333

(GHS).



GHS02 GHS07

.
. .

xylene
Solvent naphtha (petroleum), light arom.

(

2)

RU



: 19.09.2016

: 02.05.2015

: 721 LUMINOUS GREEN

. : (2)
 . : , .
 . : .
 . : , .
 . - .
 . - .

5

. CO2, : .
 . , :
 . - .
 . : - .

6 ()

. ,
 . : / .
 . : (, -
 , ,). 13.
 . - 7. - 8.
 - 13.

7

. : / (4)
 .



: 4/11

1907/2006/EC,

31

: 19.09.2016

: 02.05.2015

: 721 LUMINOUS GREEN

(3)

.

.

.

;

.

.

3

()

.

8 /

.

.

.

7.

.

123-86-4 n-butyl acetate	
PDK	: 200 /m³ : 50 /m³
/	
1330-20-7 xylene	
PDK	: 150 /m³ : 50 /m³
/	

.

.

.

.

.

.

.

.

.

(5)
RU



: 19.09.2016

: 02.05.2015

: 721 LUMINOUS GREEN



9

...

pH:

...

120 °C

27 °C



: 19.09.2016

: 02.05.2015

: 721 LUMINOUS GREEN

	(5)
:	:	
	370 °C	
:	:	
:	:	
:	:	
:	:	
:	1,1 . %	
:	7,5 . %	
	20 °C:	10,7
	20 °C:	0,984 /cm³
:	:	
:	:	
:	:	
:	:	
:	:	
	(n-	/
:	:	
:	:	
	:	66,8 %
VOC (EC)	:	657,6 /
:	:	33,2 %

10		
:	:	
:	:	
:	:	
:	:	
:	:	
:	:	
:	:	
:	:	
:	:	



: 19.09.2016

: 02.05.2015

: 721 LUMINOUS GREEN

(6)

11

.

LD/LC50 (/),

1330-20-7 xylene

()	LD50	4300 / (rat)
()	LD50	2000 / (rabbit)

64742-95-6 Solvent naphtha (petroleum), light arom.

()	LD50	>6800 / (rat)
()	LD50	>3400 / (rab)
()	LC50/4	>10,2 / (rat)

.

12

.

vPvB ()
PBT:
vPvB:

PBT ()



: 19.09.2016

: 02.05.2015

: 721 LUMINOUS GREEN

(7)

13

. :
. :
. :
. :

14

. UN
. ADR, IMDG, IATA UN1263

. ADR 1263
. IMDG PAINT
. IATA Paint

. ADR, IMDG, IATA



. 3
. 3

. ADR, IMDG, IATA III

. :
. :

. EMS: F-E,S-E

(9)



: 19.09.2016

: 02.05.2015

: 721 LUMINOUS GREEN

(8)

· **Stowage Category**

A

· **MARPOL73/78 (** II **)**

· **IBC Code (**) **)**

· / :

· **ADR**

· (LQ) 5L : E1

· (EQ) : 30

· : 1000

· 3

· D/E

· **IMDG**

· **Limited quantities (LQ)** 5L

· **Excepted quantities (EQ)** Code: E1

Maximum net quantity per inner packaging: 30

Maximum net quantity per outer packaging: 1000

· **UN "Model Regulation":**

UN 1263 , 3, III

15

· ,

· ,

· (GHS).



GHS02 GHS07

· ,

· :

· xylene

· Solvent naphtha (petroleum), light arom.

(10)



: 11/11

1907/2006/EC, 31

: 19.09.2016

: 02.05.2015

: 721 LUMINOUS GREEN

- 4: Acute toxicity, Hazard Category 4
- 5: Acute toxicity, Hazard Category 5
- 2: Skin corrosion/irritation, Hazard Category 2
- 3: Specific target organ toxicity - Single exposure, Hazard Category 3

(10)

RU