



: 19.09.2016

: 02.05.2015

: 737 ORANGE

(1)

/ / / / / /

():

().

/ / / / /

PBT ()

vPvB ()

PBT:

vPvB:

3 /

| | | | |
|------------|------------------------------------------|---------------------------------------------|---------|
| 123-86-4 | n-butyl acetate | 3, H226; 3, H336 | 25-50% |
| 1330-20-7 | xylene | 3, H226; 4, H332; 2, H315 | 10-25% |
| 64742-95-6 | Solvent naphtha (petroleum), light arom. | 4, H332; 3, H335; 4, H227; 5, H313 | 2,5-10% |
| 108-65-6 | 2-methoxy-1-methylethyl acetate | 3, H226 | ½ 2,5% |
| 111-76-2 | 2-butoxyethanol | 4, H302; 4, H312; 4, H332; 2, H315; 4, H227 | ½ 2,5% |

16.



: 737 ORANGE

(5)

9

.
. :
. :
. :
. :
. :

pH:

.
. : /
. : /
. : 120 °C

120 °C

. : 27 °C

27 °C

.): (,

. : 370 °C

370 °C

. :

. :

. :

. : /

. : :

1,1 . %

7,5 . %

. : 20 °C:

10,7

. : 20 °C:

0,946 /cm³

. : 20 °C:

. : /

. : (n- /

. : /

. : /

. : /

. : /

. : /

. : /

. : /

. : /

. : /

VOC (EC)

76,8 %

726,8 /

(7)



: 19.09.2016

: 02.05.2015

: 737 ORANGE

(7)

2 (-):

PBT ()


vPvB ()
 · PBT:
 · vPvB:

13

:

:

14

| | |
|-------------------------------------------------------------------------------------|--------|
| · UN | |
| · ADR, IMDG, IATA | UN1263 |
| · ADR | 1263 |
| · IMDG | PAINT |
| · IATA | Paint |
| · ADR | 3 |
| · IMDG, IATA | |
|  | |
| · Class | 3 |



: 19.09.2016

: 02.05.2015

: 737 ORANGE

(8)

| | |
|-----------------------------------|------------------------------------------------------------------------------------------------------------|
| · Label | 3 |
| · ADR, IMDG, IATA | III |
| · EMS: | F-E, S-E |
| · Stowage Category | A |
| · MARPOL73/78 (| II |
| · IBC Code (|) |
| · ADR | 5L : E1 |
| · Limited quantities (LQ) | : 30 |
| · Excepted quantities (EQ) | : 1000 |
| · IMDG | 3 |
| · Limited quantities (LQ) | 5L |
| · Excepted quantities (EQ) | Code: E1 Maximum net quantity per inner packaging: 30 Maximum net quantity per outer packaging: 1000 |
| · UN "Model Regulation": | UN 1263 , 3, III |

15

(GHS).

10)

RU



: 19.09.2016

: 02.05.2015

: 737 ORANGE



GHS02 GHS07

xylene
Solvent naphtha (petroleum), light arom.
2-butoxyethanol

16

- H226
- H227
- H302
- H312
- H313
- H315
- H319
- H332
- H335
- H336



: 19.09.2016

: 02.05.2015

: 737 ORANGE

(10)

: Product safety department

: Ms. Topaljikian

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

3: Flammable liquids, Hazard Category 3

4: Flammable liquids, Hazard Category 4

4: Acute toxicity, Hazard Category 4

5: Acute toxicity, Hazard Category 5

2: Skin corrosion/irritation, Hazard Category 2

2: Serious eye damage/eye irritation, Hazard Category 2

3: Specific target organ toxicity - Single exposure, Hazard Category 3

RU