



: 19.09.2016

: 02.05.2015

1 / /

.
. : **747 PURPLE**
. : 747
.

. / :
General Paint Co. SAL
P.O. Box 7623
Beirut
LEBANON
www.generalpaint.biz

. : Product safety department
. : During normal opening times: (961) 9 925990 /1/2

2



3 H226



2 H315
3 H336
5 H333

(GHS).



GHS02 GHS07

.
. xylene
Solvent naphtha (petroleum), light arom.
ethylbenzene



: 19.09.2016

: 02.05.2015

: 747 PURPLE

(1)

/ / / / / /

():

().

/ / / / /

PBT ()

vPvB ()

PBT:

vPvB:

3 /

123-86-4	<i>n</i> -butyl acetate	3, H226; 3, H336	50-100%
1330-20-7	xylene	3, H226; 4, H332; 2, H315 4,	10-25%
64742-95-6	Solvent naphtha (petroleum), light arom.	4, H332; 4, H227; 3, H335; 5, H313	2,5-10%
108-65-6	2-methoxy-1-methylethyl acetate	3, H226	2,5-10%
100-41-4	ethylbenzene	2, H225; 1, H304; 2, H373; 4, H332	½ 2,5%

16.



: 19.09.2016

: 02.05.2015

: 747 PURPLE

(8)

· **ADR, IMDG, IATA** III

· : :

· **EMS:** F-E, S-E
· **Stowage Category** A

· **MARPOL73/78** (II)
· **IBC Code** ()

· **ADR**
· (LQ) 5L
· (EQ) : E1

: 30

: 1000

· 3
· D/E

· **IMDG**
· **Limited quantities (LQ)** 5L
· **Excepted quantities (EQ)** Code: E1
Maximum net quantity per inner packaging: 30
Maximum net quantity per outer packaging: 1000

· **UN "Model Regulation":** UN 1263 , 3, III

15

(GHS).

(10)
RU



: 747 PURPLE



xylene
Solvent naphtha (petroleum), light arom.
ethylbenzene

16

- H225
- H226
- H227
- H304
- H312
- H313
- H315
- H332
- H335



: 19.09.2016

: 02.05.2015

: 747 PURPLEH336
H373

(10)

: Product safety department

: Ms. Topaljikian

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

2: Flammable liquids, Hazard Category 2

3: Flammable liquids, Hazard Category 3

4: Flammable liquids, Hazard Category 4

4: Acute toxicity, Hazard Category 4

5: Acute toxicity, Hazard Category 5

2: Skin corrosion/irritation, Hazard Category 2

- 3: Specific target organ toxicity - Single exposure, Hazard Category 3

- 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

1: Aspiration hazard, Hazard Category 1