



: 19.09.2016

: 02.05.2015

1

.
. : **773 PEARL GOLD**
. : 773
.

.
/ :
General Paint Co. SAL
P.O. Box 7623
Beirut
LEBANON
www.generalpaint.biz

.
. : Product safety department
. : During normal opening times: (961) 9 925990 /1/2

2



3 H226



3 H336
5 H333

(GHS).



GHS02 GHS07

.
. xylene
Solvent naphtha (petroleum), light arom.
ethylbenzene



: 19.09.2016

: 02.05.2015

: 773 PEARL GOLD

(1)

vPvB ()
PBT:
vPvB:

3 /

123-86-4	n-butyl acetate	3, H226; 3, H336	50-100%
1330-20-7	xylene	3, H226; 4, H332; 2, H315	2,5-10%
64742-95-6	Solvent naphtha (petroleum), light arom.	4, H332; 3, H335; 4, H227; 5, H313	2,5-10%
100-41-4	ethylbenzene	2, H225; 1, H304; 2, H373; 4, H332	½ 2,5%

16.

4

(3)
RU



: 19.09.2016

: 02.05.2015

: 773 PEARL GOLD

(5)

	/	
:	/	
:		124 °C
:	:	27 °C
):	(,	
:	:	370 °C
:	:	
:	:	
:	:	
:	:	1,2 . %
:	:	7,5 . %
	20 °C:	10,7
	20 °C:	0,965 /cm ³
:	:	
:	:	
:	:	
:	/	
:	(n-	/
):	:	
:	:	
:	:	
	:	72,4 %
VOC (EC)	:	698,5 /
:	:	27,6 %

10



: 19.09.2016

: 02.05.2015

: 773 PEARL GOLD

(6)

/ , :

,

-

:

11

:

:

LD/LC50 (/),

1330-20-7 xylene

()	LD50	4300 / (rat)
()	LD50	2000 / (rabbit)

64742-95-6 Solvent naphtha (petroleum), light arom.

()	LD50	>6800 / (rat)
()	LD50	>3400 / (rab)
()	LC50/4	>10,2 / (rat)

:

:

:

12

:

:

:

:

:

:

2 (-):

PBT ()

vPvB ()

PBT:

vPvB:



: 19.09.2016

: 02.05.2015

: 773 PEARL GOLD

(7)

13

.
:
:
:

14

. **UN**
· **ADR, IMDG, IATA** UN1263

.
· **ADR** 1263
· **IMDG** PAINT
· **IATA** Paint

.
· **ADR, IMDG, IATA**



. 3
. 3

.
· **ADR, IMDG, IATA** III

. :
. :

.
· **EMS:** F-E,S-E

(9)



: 19.09.2016

: 02.05.2015

: 773 PEARL GOLD

(8)

· **Stowage Category**

A

·

II

MARPOL73/78 (

)

IBC Code (

)

·

/

:

· **ADR**

·

(LQ)

5L

·

(EQ)

: E1

: 30

: 1000

·

3

·

D/E

· **IMDG**

· **Limited quantities (LQ)**

5L

· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30

Maximum net quantity per outer packaging: 1000

· **UN "Model Regulation":**

UN 1263

, 3, III

15

·

·

·

(GHS).



GHS02 GHS07

·

·

xylene

Solvent naphtha (petroleum), light arom.

ethylbenzene

(

10)

RU



: 19.09.2016

: 02.05.2015

: 773 PEARL GOLD

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

2: Flammable liquids, Hazard Category 2

3: Flammable liquids, Hazard Category 3

4: Flammable liquids, Hazard Category 4

4: Acute toxicity, Hazard Category 4

5: Acute toxicity, Hazard Category 5

2: Skin corrosion/irritation, Hazard Category 2

- 3: Specific target organ toxicity - Single exposure, Hazard Category 3

- 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

1: Aspiration hazard, Hazard Category 1

(10)

RU