



: 19.09.2016

: 02.05.2015

1 / /

.
.
: **777 PEARL GREEN**

: 777

.
.
General Paint Co. SAL
P.O. Box 7623
Beirut
LEBANON
www.generalpaint.biz

.
: Product safety department
: During normal opening times: (961) 9 925990 /1/2

2



3 H226



3 H336

5 H333

(GHS).



GHS02 GHS07

.
.
xylene
Solvent naphtha (petroleum), light arom.
ethylbenzene



: 19.09.2016

: 02.05.2015

: 777 PEARL GREEN

(3)

7

:
 :
 /
 :
 -
 :
 ,
 :
 :
 :
 : 3
 ()

8

; 7.
 :

123-86-4 n-butyl acetate

PDK	: 200 /m ³
	: 50 /m ³
	/

1330-20-7 xylene

PDK	: 150 /m ³
	: 50 /m ³
	/

100-41-4 ethylbenzene

PDK	: 150 /m ³
	: 50 /m ³
	/

:
 ,
 :
 :

(5)



: 5/11

1907/2006/EC,

31

: 19.09.2016


: 02.05.2015

: 777 PEARL GREEN

(4)



9



pH:

(6)



: 777 PEARL GREEN

(5)	
.	/
:	/
:	124 °C
.	: 27 °C
.):
:	370 °C
.	:
.	:
.	:
.	/
.	:
.	1,2 . %
.	7,5 . %
.	20 °C: 10,7
.	20 °C: 0,984 /cm ³
.	.
.	.
.	.
.	/
.):
.	(n- /
.	:
.	:
.	:
.	: 73,0 %
.	VOC (EC) 718,1 /
.	: 27,0 %

10



: 19.09.2016

: 02.05.2015

: 777 PEARL GREEN

(6)

/ , :

,

-

:

11

:

:

LD/LC50 (/),

:

1330-20-7 xylene

()	LD50	4300 / (rat)
()	LD50	2000 / (rabbit)

64742-95-6 Solvent naphtha (petroleum), light arom.

()	LD50	>6800 / (rat)
()	LD50	>3400 / (rab)
()	LC50/4	>10,2 / (rat)

:

:

:

:

12

:

:

:

:

:

:

:

2 (-):

PBT ()

vPvB ()

PBT:

vPvB:



: 19.09.2016

: 02.05.2015

: 777 PEARL GREEN

(7)

13

.
:
:
:
:

14

. UN
. ADR, IMDG, IATA UN1263

.
. ADR 1263
. IMDG PAINT
. IATA Paint

.
. ADR, IMDG, IATA



. 3
. 3

.
. ADR III
. IMDG, IATA II

. :
. :

. EMS: F-E,S-E

(9)



: 19.09.2016

: 02.05.2015

: 777 PEARL GREEN

(8)

· **Stowage Category**

B

· **MARPOL73/78 (**

II

· **IBC Code (**

)

· **ADR**

(LQ)

5L

(EQ)

: E1

: 30

: 1000

E

· **IMDG**

· **Limited quantities (LQ)**

5L

· **Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30

Maximum net quantity per outer packaging: 500

· **UN "Model Regulation":**

UN 1263

, 3, III

15

(GHS).



GHS02 GHS07

xylene
Solvent naphtha (petroleum), light arom.
ethylbenzene

(10)



: 19.09.2016

: 02.05.2015

: 777 PEARL GREEN

	(9)
/	/	/
	/	/
	():
/		
	/	/
/		/

16

- H225
- H226
- H227
- H304
- H312
- H313
- H315
- H332
- H335
- H336
- H373

: Product safety department

: Ms. Topaljkian

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 ICAO: International Civil Aviation Organisation
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic

(

11)



: 19.09.2016

: 02.05.2015

: 777 PEARL GREEN

vPvB: very Persistent and very Bioaccumulative

(10)

2: Flammable liquids, Hazard Category 2

3: Flammable liquids, Hazard Category 3

4: Flammable liquids, Hazard Category 4

4: Acute toxicity, Hazard Category 4

5: Acute toxicity, Hazard Category 5

2: Skin corrosion/irritation, Hazard Category 2

- 3: Specific target organ toxicity - Single exposure, Hazard Category 3

- 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

1: Aspiration hazard, Hazard Category 1

RU