



: 19.09.2016

: 02.05.2015

1

.  
.  
: **779 PEARL RED**  
: 779

.  
.  
General Paint Co. SAL  
P.O. Box 7623  
Beirut  
LEBANON  
www.generalpaint.biz

.  
: Product safety department  
: During normal opening times: (961) 9 925990 /1/2

2



3 H226



3 H336

5 H333

(GHS).



GHS02 GHS07

.  
.  
xylene  
Solvent naphtha (petroleum), light arom.  
ethylbenzene



: 19.09.2016

: 02.05.2015

: 779 PEARL RED

( 1)

vPvB ( )

PBT ( )

vPvB:

PBT:

vPvB:

3

123-86-4	n-butyl acetate	3, H226; 3, H336	50-100%
1330-20-7	xylene	3, H226; 4, H332; 2, H315	2,5-10%
64742-95-6	Solvent naphtha (petroleum), light arom.	4, H332; 3, H335; 4, H227; 5, H313	2,5-10%
100-41-4	ethylbenzene	2, H225; 1, H304; 2, H373; 4, H332	½ 2,5%

16.

4





: 19.09.2016

: 02.05.2015

**: 779 PEARL RED**

( 3)

7
<p>. :</p> <p>.</p> <p>./</p> <p>.</p> <p>.</p> <p>:3</p> <p>( )</p>

8		/
<p>. ; . 7. :</p> <p>.</p>		
: ,		
<b>123-86-4 n-butyl acetate</b>		
PDK	: 200 /m <sup>3</sup>	: 50 /m <sup>3</sup>
/		
<b>1330-20-7 xylene</b>		
PDK	: 150 /m <sup>3</sup>	: 50 /m <sup>3</sup>
/		
<b>100-41-4 ethylbenzene</b>		
PDK	: 150 /m <sup>3</sup>	: 50 /m <sup>3</sup>
/		
<p>.</p> <p>.</p> <p>.</p>		
( 5)		



: 19.09.2016


: 02.05.2015

**: 779 PEARL RED**

( 4)

:

:



( ).

/ /

/ / / /

/ / / /

, ,

/ / /


/ / /

, ,


/ /

/ /

:



9



**pH:**

6)

RU



: 19.09.2016

: 02.05.2015

**: 779 PEARL RED**

		( 5)
.		
/		
:		
/		
		124 °C
		27 °C
): ( ,		
		370 °C
:		
:		
,		
/		
:		
		1,2 . %
		7,5 . %
<b>20 °C:</b>		10,7
<b>20 °C:</b>		0,984 /cm <sup>3</sup>
.		
.		
.		
/		
		(n- /
):		
:		
:		
:		
<b>VOC (EC)</b>		72,1 %
		709,2 /
		27,9 %

10



: 19.09.2016

: 02.05.2015

**: 779 PEARL RED**

( 6)

/ , :

,

-

:

**11**

:

:

**LD/LC50 ( / ),**

**1330-20-7 xylene**

( )	LD50	4300 / (rat)
( )	LD50	2000 / (rabbit)

**64742-95-6 Solvent naphtha (petroleum), light arom.**

( )	LD50	>6800 / (rat)
( )	LD50	>3400 / (rab)
( )	LC50/4	>10,2 / (rat)

:

:

:

:

**12**

:

:

:

:

:

:

2 ( - ):

**PBT ( )**

**vPvB ( )**

**PBT:**

**vPvB:**



: 19.09.2016

: 02.05.2015

: 779 PEARL RED

( 7)

13

. :  
. :  
. :  
. :

14

. UN  
. ADR, IMDG, IATA UN1263

. ADR 1263  
. IMDG PAINT  
. IATA Paint

. ADR, IMDG, IATA



. 3  
. 3

. ADR, IMDG, IATA III

. :  
. :

. EMS: F-E,S-E

( 9)





: 19.09.2016

: 02.05.2015

: 779 PEARL RED

( 8)

· **Stowage Category**

A

·

II

MARPOL73/78 (

)

IBC Code (

)

·

/

:

· **ADR**

·

(LQ)

5L

·

(EQ)

: E1

: 30

: 1000

·

2

·

E

· **IMDG**

· **Limited quantities (LQ)**

5L

· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30

Maximum net quantity per outer packaging: 1000

· **UN "Model Regulation":**

UN 1263

, 3, III

15

·

·

·

(GHS).



GHS02 GHS07

·

·

xylene

Solvent naphtha (petroleum), light arom.

ethylbenzene

(

10)

RU



: 19.09.2016

: 02.05.2015

**: 779 PEARL RED**

( 9)

.

:

,

/ / /

/ / / / /

/ ( ):

/ / / /

:

**16**

- H225
- H226
- H227
- H304
- H312
- H313
- H315
- H332
- H335
- H336
- H373

: Product safety department

: Ms. Topaljikian

ICAO: International Civil Aviation Organisation

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)



: 19.09.2016

: 02.05.2015

**: 779 PEARL RED**

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

2: Flammable liquids, Hazard Category 2

3: Flammable liquids, Hazard Category 3

4: Flammable liquids, Hazard Category 4

4: Acute toxicity, Hazard Category 4

5: Acute toxicity, Hazard Category 5

2: Skin corrosion/irritation, Hazard Category 2

- 3: Specific target organ toxicity - Single exposure, Hazard Category 3

- 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

1: Aspiration hazard, Hazard Category 1

( 10)

RU