



: 19.09.2016

: 02.05.2015

1

.
. .
. .
. .
. .
. .
. .
. .
. .
. .
. .

: 799 METALLIC BASE SUPER FINE

: 799

General Paint Co. SAL
P.O. Box 7623
Beirut
LEBANON
www.generalpaint.biz

: Product safety department
: During normal opening times: (961) 9 925990 /1/2

2



3 H226
1 H260



2 H373



2 H315
3 H336
5 H333

(GHS).



: 799 METALLIC BASE SUPER FINE



xylene
 Stoddard solvent
 Solvent naphtha (petroleum), light arom.
 ethylbenzene

vPvB (
 PBT:
 vPvB:

PBT (

3



: 799 METALLIC BASE SUPER FINE

| | | | |
|------------|--|----------------------|---------------------|
| | | (| 2) |
| 123-86-4 | n-butyl acetate | 3, H226; | 3, H336 |
| 1330-20-7 | xylene | 3, H226; H312; | 4, 2, H315 |
| 64742-95-6 | Solvent naphtha (petroleum), light arom. | 4, H332; 4, H227; | 3, H335; 5, H313 |
| 7429-90-5 | aluminium powder (pyrophoric) | 1, H250; | |
| 100-41-4 | ethylbenzene | 2, H225; 1, H304; | 2, H373; 4, H332 |
| 8052-41-3 | Stoddard solvent | 3, H226; 1, H304 | 1, H372; |
| | | | 16. |

4

48



: 799 METALLIC BASE SUPER FINE

(3)

5

CO2.

CO2,

,

,

:

6

()

,

:

/

:

(, , -

13.

7.

8.

13.

7

:

/

:

-

(



: 5/12

1907/2006/EC, 31

: 19.09.2016

: 02.05.2015

: 799 METALLIC BASE SUPER FINE

(4)

.

.

.

.

.

.

.

.

 : 4.3

.

.

()

8

/

.

.

.

.

.

.

123-86-4 n-butyl acetate

| | |
|-----|-----------------------|
| PDK | : 200 /m ³ |
| | : 50 /m ³ |

1330-20-7 xylene

| | |
|-----|-----------------------|
| PDK | : 150 /m ³ |
| | : 50 /m ³ |

100-41-4 ethylbenzene

| | |
|-----|-----------------------|
| PDK | : 150 /m ³ |
| | : 50 /m ³ |

8052-41-3 Stoddard solvent

| | |
|-----|-----------------------|
| PDK | : 900 /m ³ |
| | : 300 /m ³ |

.

.

.

.

.

.

.

.

.

.

.

6)

RU



: 19.09.2016


: 02.05.2015

: 799 METALLIC BASE SUPER FINE

(5)



9



pH:

(7)



: 19.09.2016

: 02.05.2015

: 799 METALLIC BASE SUPER FINE

(6)

| | |
|-----------------|------------------------|
| | 124 °C |
| | 24 °C |
| | |
| | 370 °C |
| | |
| | |
| | |
| | |
| | 1,1 % |
| | 7,5 % |
| 20 °C: | 10,7 |
| 20 °C: | 0,982 /cm ³ |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| VOC (EC) | 74,6 % |
| | 732,4 / |
| | 23,9 % |

10

(8)
RU



: 19.09.2016

: 02.05.2015

: 799 METALLIC BASE SUPER FINE

(7)

11

LD/LC50 (/),

1330-20-7 xylene

| | | |
|-----|------|-----------------|
| () | LD50 | 4300 / (rat) |
| () | LD50 | 2000 / (rabbit) |

64742-95-6 Solvent naphtha (petroleum), light arom.

| | | |
|-----|--------|---------------|
| () | LD50 | >6800 / (rat) |
| () | LD50 | >3400 / (rab) |
| () | LC50/4 | >10,2 / (rat) |

12

3 (-):

9)

RU



: 19.09.2016

: 02.05.2015

: 799 METALLIC BASE SUPER FINE

· vPvB (PBT ())
 · PBT:
 · vPvB:

13

· :
 · :
 · :

14

· **UN**
 · **ADR, IMDG, IATA** UN1263

· **ADR** 1263
 · **IMDG** PAINT
 · **IATA** Paint

· **ADR, IMDG, IATA**



· 3
 · 3

· **ADR, IMDG, IATA** III

· :
 · :

· :

· **EMS:** F-E,S-E



: 19.09.2016

: 02.05.2015

: 799 METALLIC BASE SUPER FINE

(9)

· **Stowage Category**

A

· **MARPOL73/78 (**

II

· **IBC Code (**

· **ADR**

(LQ)

5L

(EQ)

: E1

: 30

: 1000

3

D/E

· **IMDG**

· **Limited quantities (LQ)**

5L

· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30

Maximum net quantity per outer packaging: 1000

· **UN "Model Regulation":**

UN 1263

, 3, III

15

(GHS).



GHS02



GHS07



GHS08

xylene
Stoddard solvent
Solvent naphtha (petroleum), light arom.
ethylbenzene

(11)



: 799 METALLIC BASE SUPER FINE

(11)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

2: Flammable liquids, Hazard Category 2

3: Flammable liquids, Hazard Category 3

4: Flammable liquids, Hazard Category 4

1: Pyrophoric Solids, Hazard Category 1

1: Substances and Mixtures which, in contact with water, emit flammable gases, Hazard

Category 1

2: Substances and Mixtures which, in contact with water, emit flammable gases, Hazard

Category 2

4: Acute toxicity, Hazard Category 4

5: Acute toxicity, Hazard Category 5

2: Skin corrosion/irritation, Hazard Category 2

3: Specific target organ toxicity - Single exposure, Hazard Category 3

- 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1

- 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

1: Aspiration hazard, Hazard Category 1