



: 19.09.2016

: 02.05.2015

1

: **877 XIRALLIC GREEN**

: 877

General Paint Co. SAL
P.O. Box 7623
Beirut
LEBANON
www.generalpaint.biz

: Product safety department
: During normal opening times: (961) 9 925990 /1/2

2



3 H226



3 H336

5 H333

(GHS).



GHS02 GHS07

xylene
Solvent naphtha (petroleum), light arom.
ethylbenzene



: 19.09.2016

: 02.05.2015

: 877 XIRALLIC GREEN

· **PBT (** ()⁷⁾
 · **vPvB (**)
 · **PBT:**
 · **vPvB:**

13

· :
 · :
 · :
 · :

14

· **UN**
 · **ADR, IMDG, IATA** UN1263

· **ADR** 1263
 · **IMDG** PAINT
 · **IATA** Paint

· **ADR, IMDG, IATA**



· 3
 · 3

· **ADR, IMDG, IATA** III

· :
 · :

· **EMS:** F-E,S-E



: 19.09.2016

: 02.05.2015

: 877 XIRALLIC GREEN

(8)

· **Stowage Category**

A

II

· **MARPOL73/78 (**

· **IBC Code (**

· **ADR**

(LQ)

(EQ)

5L

: E1

: 30

: 1000

2

E

· **IMDG**

· **Limited quantities (LQ)**

· **Excepted quantities (EQ)**

5L

Code: E1

Maximum net quantity per inner packaging: 30

Maximum net quantity per outer packaging: 1000

· **UN "Model Regulation":**

UN 1263

, 3, III

15

(GHS).



GHS02 GHS07

xylene

Solvent naphtha (petroleum), light arom.

ethylbenzene

(10)



: 19.09.2016

: 02.05.2015

: 877 XIRALLIC GREEN

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

2: Flammable liquids, Hazard Category 2

3: Flammable liquids, Hazard Category 3

4: Flammable liquids, Hazard Category 4

4: Acute toxicity, Hazard Category 4

5: Acute toxicity, Hazard Category 5

2: Skin corrosion/irritation, Hazard Category 2

- 3: Specific target organ toxicity - Single exposure, Hazard Category 3

- 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

1: Aspiration hazard, Hazard Category 1

(10)

RU