



: 19.09.2016

: 02.05.2015

1

.
. .
. .
. .
. .
. .
. .
. .
. .
. .
. .

: **898 SILVER DOLLAR FINE**

: 898

General Paint Co. SAL
P.O. Box 7623
Beirut
LEBANON
www.generalpaint.biz

: Product safety department
: During normal opening times: (961) 9 925990 /1/2

2



3 H226



2 H315

3 H336

5 H333

(GHS).



GHS02 GHS07

xylene
Solvent naphtha (petroleum), light arom.
ethylbenzene



: 898 SILVER DOLLAR FINE

(1)

/ / / / / /

():

().

/ / / / /

PBT ()

vPvB ()

PBT:

vPvB:

3 /

123-86-4	<i>n</i> -butyl acetate	3, H226; 3, H336	25-50%
1330-20-7	xylene	3, H226; 4, H332; 2, H315	10-25%
64742-95-6	Solvent naphtha (petroleum), light arom.	4, H332; 3, H335; 4, H227; 5, H313	2,5-10%
7429-90-5	aluminium powder (stabilised)	1, H228; 2, H261	2,5-10%
100-41-4	ethylbenzene	2, H225; 1, H304; 2, H373; 4, H332	2,5-10%

16.



: 19.09.2016

: 02.05.2015

: 898 SILVER DOLLAR FINE

- 13. (3)

7

. :
.
/ .
. :
- .
.
. ,
: , :
:
: 3 :
 ()

8 /

. ; 7. :
.

.

123-86-4 n-butyl acetate

PDK	: 200 /m ³
	: 50 /m ³
/	

1330-20-7 xylene

PDK	: 150 /m ³
	: 50 /m ³
/	

100-41-4 ethylbenzene

PDK	: 150 /m ³
	: 50 /m ³
/	

. :
 , (5)



: 19.09.2016

: 02.05.2015

: 898 SILVER DOLLAR FINE

(5)	
:	
:	
:	
pH:	
:	
/	
/	
124 °C	
24 °C	
): (,	
370 °C	
:	
:	
/	
:	
1,1 . %	
7,5 . %	
20 °C: 10,7	
20 °C: 0,951 /cm ³	
:	
:	
:	
/	
): (n- /	
:	
:	
:	
75,5 %	
VOC (EC) 717,6 /	
24,5 %	
-	



: 19.09.2016

: 02.05.2015

: 898 SILVER DOLLAR FINE

(6)

10

·

·

· / , :

· , -

· : -

· :

11

·

· :

· LD/LC50 (/),

· :

1330-20-7 xylene			
()	LD50	4300 /	(rat)
()	LD50	2000 /	(rabbit)
64742-95-6 Solvent naphtha (petroleum), light arom.			
()	LD50	>6800 /	(rat)
()	LD50	>3400 /	(rab)
()	LC50/4	>10,2 /	(rat)

· :

· :

· :

· :

· ()

12

·

· :

· -

· :

· -

· :

(8) RU



: 19.09.2016

: 02.05.2015

: 898 SILVER DOLLAR FINE

· (7)

· :

· 2 (-):

· PBT ()

· vPvB ()

· PBT:


· vPvB:

13

· :

· :

14

· UN	
· ADR, IMDG, IATA	UN1263
· ADR	1263
· IMDG	PAINT
· IATA	Paint
· ADR, IMDG	
	
·	3
·	3

(9)

RU



: 19.09.2016

: 02.05.2015

: 898 SILVER DOLLAR FINE

(8)

· IATA



· Class 6.1
· Label 3

· ADR, IMDG, IATA III

· EMS: F-E, S-E
· Stowage Category A

MARPOL73/78 (II)
IBC Code ()

· ADR (LQ) 5L : E1
(EQ) : 30
: 1000
3
D/E

· IMDG
· Limited quantities (LQ) 5L
· Excepted quantities (EQ) Code: E1
Maximum net quantity per inner packaging: 30
Maximum net quantity per outer packaging: 1000

· UN "Model Regulation": UN 1263 , 3, III



: 898 SILVER DOLLAR FINE

(9)

15



GHS02 GHS07

(GHS).

xylene
Solvent naphtha (petroleum), light arom.
ethylbenzene

16

H225
H226
H227



: 19.09.2016

: 02.05.2015

: 898 SILVER DOLLAR FINE

- H228
- H261
- H304
- H312
- H313
- H315
- H332
- H335
- H336
- H373

(10)

: Product safety department

: Ms. Topaljikian

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

2: Flammable liquids, Hazard Category 2

3: Flammable liquids, Hazard Category 3

4: Flammable liquids, Hazard Category 4

1: Flammable solids, Hazard Category 1

2: Substances and Mixtures which, in contact with water, emit flammable gases, Hazard

Category 2

4: Acute toxicity, Hazard Category 4

5: Acute toxicity, Hazard Category 5

2: Skin corrosion/irritation, Hazard Category 2

3: Specific target organ toxicity - Single exposure, Hazard Category 3

2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

1: Aspiration hazard, Hazard Category 1